References Cited

- Adamus, et al. 2001. Breeding Bird Atlas: Results and analysis of data collection from the years 1995-1999. Oregon Field Ornithologists. CD ROM.
- Agee, James K. 1993. Fire Ecology of Pacific Northwest Forests. Island Press.
- Anderson, B. 1989. Background Information on the EHA Model. Unpublished, on file at the Forest Headquarters, Ochoco National Forest.
- Asher, J.E., S. Dewey, C. Johnson, and J. Olivarez. 2001. Reducing the spread of invasive exotic plants following fire in western forests, deserts, and grasslands. In: Galley, Krista. E. M.; Wilson, Tyrone P., eds. Proceedings of the invasive species workshop: The role of fire in the control and spread of invasive species; Fire conference 2000: the first national congress on fire ecology, prevention, and management; 2000 November 27 December 1; San Diego, CA. Misc. Publ. No. 11. Tallahassee, FL: Tall Timbers Research Station: 102-103. Abstract. (40681)
- Baker, M.B., 1988. Hydrologic and Water Quality Effects of Fire. Proceedings: Effects of Fire in Management of Southwest Natural Resources (Tucson, AZ, November 14-17, 1988). p. 31-42.
- Barrett, J.W. 1981. Twenty-year Growth of Thinned and Unthinned Ponderosa Pine in the Methow Valley of Northern Washington. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper PNW-286, Portland, OR.
- Barrett, J. 1982. Growth of Ponderosa Pine Saplings Thinned to Five Spacings in Central Oregon. PNW-RP-301. USDA Forest Service, Pacific NW Research Station: Portland, OR.
- Barrett, J. 1999. Growth of Ponderosa Pine Poles Thinned to Different Stocking Levels in Central Oregon. PNW-RP-311. USDA Forest Service, Pacific NW Research Station: Portland OR.
- Beschta, R.L., R.E. Bilby, G.W. Brown [and others]. 1987. Stream Temperature and Aquatic Habitat; Fisheries and Forestry Interaction. Pages 191-232 in: Salo, E.O., T.W. Cudy, eds. Contribution 57. University of Washington Institute of Forest Resources. Seattle, WA.
- Binns, N.A., and F.M. Eiserman. 1979. Quantification of fluvial Trout habitat in Wyoming. Transactions of the American Fisheries Society 108:215-228.
- Bjornn, T.C., and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. American Fisheries Society Special Publication 19:83-138.
- Britton, D.L. 1991. The benthic macroinvertibrate fauna of a South African Mountain Stream and its response to fire. South African Journal of Sci. 17(1/2), P 51-64. ISSN 1018 3469.
- Brookes, Martha H., et al. 1985. Managing Trees Susceptible to Western Spruce Budworm. USDA Forest Service, Cooperative State Research Service, Technical Bulletin No. 1695.
- Carlson, Clinton E. and N. William Wolf. 1989. Silvicultural Strategies to Reduce Stand and Forest Susceptibility to the Western Spruce Budworm. USDA Forest Service. Agriculture Handbook No. 676.
- Chapman, D.W., and R.L. Demory. 1963. Seasonal changes in the food ingested by aquatic insect larvae and nymphs in two Oregon streams. Ecology 44:140-146.
- Cochran, P.H. and James Barrett. 1993. Long-term Response of Planted Ponderosa Pine to Thinning in Oregon's Blue Mountains. Western Journal of Applied Forestry, Vol. 8, No.4, October 1993.

- Cochran, P. H. and James Barrett. 1999. Thirty-Five-Year Growth of Ponderosa Pine Saplings in Response to Thinning and Understory Removal. PNW-RP-512. Portland, OR: USDA Forest Service, Pacific NW Research Station.
- Cummins, K..W. 1974. Structure and function of stream ecosystems. BioScience 24:631-641.
- David, J. 2000. Personal communication on changes in lithosol (scabland) soils on the Ochoco NF and Crooked River NG, based on unpublished data from Region 6 ecology plots in the Blue Mountains, by F. Hall.
- David, J. 2002. Mule/Horse Logging Impacts on Mule TS #3, Ochoco National Forest.
- DeByle, N.V. and P.E. Packer. 1972. Plant nutrient and soil losses in overland flow from burned forest clearcuts. Watersheds in Transition, Proc. Symposium AWRA & Colorado Stae Univ., p.296-307.
- DeClerck, F.R. 1997. Cattle as dispersers of hound's tongue on rangeland in southeastern British Columbia. Journal of Range Management. 50:239-243.
- DiTomaso, J.M. 1997. Risk analysis of various weed control methods. Proc., California Exotic Pest Plant Council Symposium 3:34-39.
- Eddleman, L.E. 1996. Personal communication on the seed bank viability of knapweed species. Oregon State University.
- Fiedler, E.F., Keegan, C.E., Woodall, C.W., Morgan, T.A., Robertson, S.H., Chmelik, J.T. 2001. A Strategic Assessment of Fire Hazard in Montana. Submitted to and supported by the Joint Fire Sciences Program, in cooperation with the USFS Pacific Northwest Research Station.
- Filip, Gregory M. and Craig L. Schmitt. 1990. Rx for Abies: Silvicultural Options for Diseased Firs in Oregon and Washington. General Technical Report PNW-252. USDA Forest Service, Pacific NW Research Station: Portland, OR
- Gebert, K. M., C. E Keegan III., S. Willits, and A. Chase, PNW-GTR-532, April 2002, Gen. Tech. Rep. PNW-GTR-532
- Graham, R.T., Harvey, A.E., Jain, T.B., Tonn, J.R. 1999. The Effects of Thinning and Similar Stand Treatments on Fire Behavior in Western Forests. US Forest Service Technical Report PNW-GTR-463
- Graham, R. T., et al. 2004. Science Basis for Changing Forest Structure to Modify Wildfire Behavior and Severity. USDA Forest Service, Rocky Mountain Research Station, General Technical Report, RMRS-GTR-120
- Gregory, S.V.; Lambertti, G.A.; Erman, D.C.; [and others]. 1987. Influence of forest practices on aquatic production. Pages 233-256 in: Salo, E.O.; Cudy, T.W., eds. Forestry and fisheries interactions. Contribution 57. Seattle, WA: University of Washington Institute of Forest Resources.
- Hadfield, David S., et al. 1986. Root Disease in Oregon and Washington Conifers. USDA Forest Service, Pacific Northwest Region. R6-FPM-250-86.
- Hall, Fred. 1989. Plant Association and Management Guide for the Ochoco and southern Blue Mountain Areas. USDA-FS R6 ECOL TP-000-90. Portland, Oregon.
- Halvorson, R. 2001, 2002, 2003. Personal communication on BLM Special Status Plants. Bureau of Land Management. Prineville, OR.
- Harvey, A. et al. Organic Matter Function in the Western Montane Forest Soil System, In the proceedings of The Management and Production of Western Montane Forest Soils, Boise, Idaho; USDA-Forest Service, Intermountain Research Station, General Technical Report INT-280, 1991
- Harvey, A.E.; et al. 1994. Biotic and abiotic processes in eastside ecosystems: the effects of management on soil

- properties, processes, and productivity. USDA Forest Service Gen. Tech. Rep. PNW-GTR-323, Pacific Northwest Research Station.
- Helliwell, R. 2001. Personal communication on Carex interior.
- Hibbert, A.R. 1965. Forest Treatment Effects on Water Yield. In W.E. Sopper & H.W. Lull (Eds.), Int. Symp. For. Hydrology, Pages 527-543. Pergamon Press, New York.
- Hunn, Eugene S. 1990. Nc'I-Wana "The Big River" Mid-Columbia Indians and Their Land with James Selam and Family. University of Washington Press, Seattle, Washington
- Ianni, D., Streier, F., Simpson, M., Lesko, M. 1996. Personal communication on viability of Ochoco NF sensitive plant species.
- Interagency Implementation Team (IIT), 2000. Grazing Implementation Monitoring Module, USFWS, NMFS, Forest Service, and BLM.
- Johnson, C.G. and R. Clausnitzer, 1992. Plant Associations of the Blue and Ochoco Mountains. USDA-FS R6-ERW-TP-036-92. Portland, Oregon.
- Johnson, C.G. 1998. Vegetation Response after Wildfires in National Forests in Northeastern Oregon. USDA Forest Service.
- Kagan, J.S. 1996. Draft Species Management Guide for Calochortus longebarbatus Wats. var. peckii Ownbey
- Kaye, T., Rittenhouse, 1990 (revised 1994 by Wooley, B.). Conservation Strategy for *Calochortus longebarbatus* var. *longebarbatus*. Fremont National Forest.
- Larson, S. and R. Oren, R. H. Waring, J. W. Barrett. 1983. Forest Science. Vol. 29, No. 2, pp. 395-402.
- Lebow, Clayton G, Richard M. Pettigrew, Jon M. Silvermoon, David H. Chance, Robert Boyd, Yvonne Hajda, and Henry Zenk, 1990 A Cultural Resource Overview for the 1990s, BLM Prineville District, Oregon. US Dept. of Interior, Bureau of Land Management, Portland, Oregon.
- Leven, A.A., 1971. Q/D Note #1, A procedure for estimating delivery coefficients of surface erosion from source area to channel. Region 5, Forest Service.
- Loyd, Janine M and Thomas Origer and David A. Fredrickson. 2002. The Effects of Fire and Heat on Obsidian. Cultural Resource Publication Anthropology-Fire History, Papers presented for Society of California Archaeology 1999. Sacramento, California)
- Lytjen, D. 2003. Personal communication on recently documented populations of *Carex backii*.
- Mafera, D. 2003. Botany Report for Deep Vegetation Management Draft EIS
- Megahan, W.F., 1980. Nonpoint source pollution from forestry activities in the western United States: results of recent research and research needs. Conference on U.S. Forestry and Water Quality: What course is the 80's. Proceedings, Water Pollution Control Federation, Richman VA.
- McCambridge, W. F. and R. E. Stevens. 1982. Effectiveness of Thinning Ponderosa Pine stands in Reducing Mountain Pine Beetle-Caused Tree Losses in the Black Hills Preliminary Observations. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station: Fort Collins, CO.
- Miller, R.F. and Rose, J.E. 1999. Journal of Range Management. 5:550-559.

- Oliver, W.W. 1979. Growth of Planted Ponderosa Pine Thinned to Different Stocking Levels in Northern California. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Research Paper PNW-147, Berkeley, CA.
- Olson, B.E. 1999. Grazing and weeds. Pages 85-96. R.L. Sheley and J.K. Petroff, eds. In, Biology and Management of Noxious Rangeland Weeds. Oregon St. Univ. Press, Corvallis.
- Omi, Philip N. and Erik J. Martinson. 2002. Effect of Fuels Treatment on Wildfire Severity. Submitted to the Joint Fire Science Program Governing Board.
- Oregon Employment Department, 1992.
- Oregon Employment Department, Labor Trends, April 2004.
- Orr, Elizabeth L., William N. Orr, and Ewart Baldwin. 1992. Geology of Oregon.
- Owen, W. 2003. The Effects of Fire on Rare Plants. Unpublished report distributed by the USDA Forest Service, Washington, DC.
- Phillips, R. 2004. Personal communication, USDA-FS Regional Economist, Region 6.
- Platts, W.S. 1991. Livestock grazing. American Fisheries Society Special Publication 19:389-423.
- Pollet, J. and P.N. Omi. 2002. Effect of thinning and prescribed burning on crown fire severity in ponderosa pine forests. International Journal of Wildland Fire, 2002, 11, 1-10
- Powell, D. 2000. Potential Vegetation, Disturbance, Plant Succession, and Other Aspects of Forest Ecology. US Forest Service Technical Report F14-SO-TP-09-00
- Reynolds, R.T., et al. 1991. Management for the Northern Goshawk in the Southwestern United States. USDA Forest Service, Southwest Region.
- Roché, C.T. and Roché, B.F. Jr. 1988. Distribution and amount of four knapweed (*Centaurea* L.) species in eastern Washington. Northwest Science 62:242-253.
- Rosgen, D.L. 1994. A classification of natural rivers. Cantena 22:169-199.
- Roth, L. F. and Barrett, J. 1985. Response of Dwarf Mistletoe-infested Ponderosa Pine to Thinning. PNW-RP-331. Portland, OR: USDA Forest Service, Pacific NW Research Station.
- Rothermel, R.C., Wilson, Jr. R.A., Morris, G.A., Sackett., S.S. 1986. Modeling Moisture Content of Fine Dead Wildland Fuels. US Forest Service Research Paper INT-359.
- Saveland, James M.; Neuenschwander, Leon F. 1989. Predicting Ponderosa Pine Mortality from Understory Prescribed Burning. Symposium poroceedings, Prescribed Fire in the Intermountain Region. Washington State University.
- Schmid, J. M., S. A. Mata, and R. A. Obedzinski. September 1994. Hazard rating ponderosa pine stands for mountain pine beetle in the Black Hills. USDA Forest Service Research Note RM-RN-529. Fort Collins, CO. Rocky Mountain Forest and Experiment Station. 4 p.
- Scott, T. and N. Pratini. 1995. Habitat fragmentation: the sum of the pieces is less than the whole. California Agriculture 49(6):56.
- Shank, D. 2004. Fire Related Soil Impacts: Monitoring of the Eyerley, B & B, Booth West, Cabot Creek and Brush Creek Reburns, Deschutes National Forest.
- Sheley, R.L. 2004. Discussion on patterns of noxious weed spread. Medusahead Conference. Burns, OR

- Sheley, R.L. and L.L. Larson. 1994. Observation: Comparative live-history of cheatgrass and yellow starthistle. Journal of Range Management 47:450-456.
- Sheley, R.L., M. Manoukian, and G. Marks. 1999. Preventing noxious weed invasion. Pp. 69-72, 87 in R. L. Sheley and J. K. Petroff, eds. Biology and Management of Noxious Rangeland Weeds. Oregon St. Univ. Press, Corvallis.
- Simpson, M., D. Zalunardo, A. Eglitis, D.C. Wood, D.R. Roy, and S.J. Johnson. 1994. (Draft) Viable Ecosystems Management Guide; Ochoco National Forest, USDA Forest Service, Pacific Nothwest Region, Prineville, OR.
- Stuart, A. M., S.L. Thesfeld, T.K. Nelson, and T.M. Shrader. 1996. Crooked River Basin Plan Ochoco Fish District, Oregon Department of Fish and Wildlife.
- Swanson, Donald A. 1969. Reconnaissance Geologic Map of the East Half of the Bend Quadrangle, Crook, Wheeler, Jefferson, Wasco and Deschutes Counties, Oregon, USGS, Misc. Geologic Investigations Map I-568.
- Tiedeman, A.R., J.D. Helvey, and T.D. Anderson. 1978. Stream chemistry and watershed economy following wildfire and fertilization. Journal Environ. Qual., Vol. 7, no. 4. p 580-589.
- USDA, Forest Service, R1/R4. 1981. "Guide for Predicting Sediment Yields from Forested Watersheds", USDA Forest Service, Region 1 and Region 4.
- USDA, Forest Service. 1988. General Water Quality Best Management Practices.
- USDA Forest Service. 1989. Land and Resource Management Plan. Part 1. Ochoco National Forest. Reprinted 1991. Prineville, OR.
- USDA Forest Service, R1, 1992. WATSED, Water yield and sediment model. Range, air, watershed and ecology staff unit, Region 1, USDA Forest Service & Montana cumulative watershed effects cooperative.
- USDA, Forest Service. 1995. Inland Native Fish Strategy Environmental Assessment.
- USDA, Forest Service, Ochoco National Forest. 2001. Maury Mountains Watershed Analysis.
- USDA, Forest Service. 2000. Roadless Area Conservation. Final Environmental Impact Statement, Glossary-12.
- USDA/USDI Forest Service/Bureau of Land Management. 2000. Interior Columbia Basin Supplemental Draft Environmental Impact Statement. Vol. 1, Ch. 2, pp.39, 243.
- U.S. Department of Commerce, Bureau of Economic Analysis, 2001.
- U.S. Department of Commerce, Bureau of Census, County Business Patterns, 2001.
- USDA, USDI. 2003. Joint Aquatic and Terrestrial Programmatic Biological Assessment for Federal Lands within the Deschutes Basin Administered by Bureau of Land Management Prinveville Office and all Lands within the Deschutes and Ochoco National Forests. June 2003-June 2006.
- Walker, George W. 1990. Geology of the Blue Mountains Region of Oregon, Idaho and Washington: Cenozoic Geology of the Blue Mountains Region. USGS, Professional Paper 1437, 135 p.
- Wesche, T.A. 1974. Relationship of discharge reductions to available trout habitat for recommending suitable streamflows. University of Wyoming. Water Resources Research Institute, Water Resources Series 53, Laramie.
- Wood, J. 2003. Personal communication on Carex backii.
- Yates, G. 2001. Personal communication on Carex interior.

| Zimmerman, J., W. Johnson, M. Eiswerth. 2002. Medusahead: Economic Impact and Control in Nevada. | Cooperative |
|--|-------------|
| Extension Fact Sheet FS-02-37. Univ. of Nevada. Reno, NV | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |